

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25943	reference near3 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 20:57
L2	653	1 and (referencing near3 (dictionary or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 20:57
L3	11	2 and (class\$3 near5 propert\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 20:57
L4	7	3 and inherit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 20:58
L5	6	3 and (class\$4 with propert\$4 with inherit \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 20:58
L6	1403	caseof	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 21:12
L7	5	1 and caseof	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 21:12

L8	2	"7333986".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 21:15
L9	2	"5295261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 21:20
L10	5	6 and (class\$4 near5 inherit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 21:30
L11	150	second near3 class\$4 near5 inherit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 22:13
L12	0	second near3 class\$4 near5 inherit\$4 near3 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 22:13
L13	0	second near3 class\$4 near5 inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 22:13
L14	3	second near5 class\$4 near5 inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 22:13
L15	11	second near5 inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 22:14

L16	845	inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:13
L17	114	inherit\$4 near5 (database or dictionary) near5 class \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:13
L18	47	17 and duplicat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:13
L19	16	18 and dictionary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:15
L20	7	19 and (referenc\$4 near5 (database\$3 or dictionar\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:20
L21	9	19 not 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:21
L22	62	extract\$4 near5 class near5 propert\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:27
L23	8	extract\$4 near5 class near5 propert\$5 near5 (database\$3 or dictionar\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:27

L24	2	"20040107209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:42
L25	2	"20040162838"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/13 23:43
L26	1403	CaseOf	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 00:42
L27	3	26 and (class adj3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 00:42
L28	5	extract\$4 with class\$4 with propt\$5 with dictionary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:12
L29	2	"20030105770"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:14
L30	2	"20060085272"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:17
L31	1059	extract\$4 with (class\$4 or propt\$5) with (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:21

L32	161	extract\$4 with (class\$4 or propert\$5) with (dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:21
L33	24	32 and (point\$5 with dictionar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:22
L34	79	32 and (output\$4 with (class\$3 or dictionar \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:22
L35	19	33 and (output\$4 with (class\$3 or dictionar \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:22
L36	40	32 and (add\$3 near5 dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:24
L37	9	32 and (add\$3 near5 dictionary near5 extrac \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:25
L38	38	extract\$4 near5 (class \$4 or propert\$5) near5 (dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:34
L39	2	38 and (scheme near5 (dictionary))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:35

L40	5	38 and (schem\$4 near5 (dictionary))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:35
L41	320	extract\$4 near5 (class \$4 or propert\$5) near5 (dictionary or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:37
L42	2	41 and (scheme near5 (dictionary))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:38
L43	20	41 and (schem\$4 near5 (structur\$5 or organiz\$4) near5 (database or dictionary))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:38
L44	1	43 and (add\$3 near5 extract\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 01:39
L45	22065	extract\$4 near5 (class \$4 or propert\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:19
L46	14365	extract\$4 near3 (class \$4 or propert\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:19
L47	1017	46 and (add\$3 near3 (class\$4 or propert\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:19

L48	10	46 and (add\$3 near3 (class\$4 or propt\$5) near3 dictionar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:20
L49	538	hierarch\$5 near4 dictionar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:31
L50	42	49 and (class\$4 near5 propt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:32
L51	28	50 and inherit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:32
L52	15	51 and extract\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:32
L53	14	52 and add\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:32
L54	77696	extract\$4 near3 unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:36
L55	7262	54 and (add\$3 near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:36

L56	3957	55 and (output near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:37
L57	2989	56 and (input near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:37
L58	106	57 and (database near3 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:37
L59	3	58 and (class near5 propert\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:37
L60	1	58 and (class near5 identifier\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:38
L61	6	58 and (table near5 identifier\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:38
L62	182	57 and (dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:39
L63	11	58 and (dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:39



L64	11	58 and (dictionar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:39
L65	4	58 and (extract\$4 near5 (propert\$4 or class))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:43
L66	2	extract\$4 near3 unit near5 class near5 dictionar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 02:47
L67	57612	database near3 management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:02
L68	1209	67 and (extract\$4 near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:02
L69	1	68 and (extract\$4 near3 class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:02
L70	10	67 and (extract\$4 near3 class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:02
L71	79	67 and (extract\$4 near3 class near4 (information or data or propert\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:04

L72	6	71 and (add\$3 near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:04
L73	1849	67 and (class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:05
L74	21	67 and (unit near5 class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:06
L75	0	74 and (add\$3 near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:06
L76	5	74 and (add\$3 near3 (database or dictionar \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:07
L84	242	extract\$4 near5 (class or proptet\$4) near5 (database or dictionar \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:09
L85	56	84 and (database near5 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:09
L86	4	85 and (add\$4 near5 extract\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/14 03:09

S1	56	dictionary with class with property	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 14:54
S2	21	S1 and (class with inherit\$5 with propert \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 14:55
S3	3	S2 and (identifier with point\$5 with dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 14:55
S4	1	S2 and (identifier with point\$5 with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 14:59
S5	91	extract\$5 with class with property	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:00
S6	5	S5 and (class with inherit\$5 with propert \$3 with hierarch\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:01
S7	3	S6 and (point\$5 with class\$3 with propert \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:01
S8	139	(class with inherit\$5 with propert\$3 with hierarch\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:05

S9	6	S8 and (point\$5 with class\$3 with propert \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:05
S10	22	(extract\$5 with class with property) same dictionar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:12
S11	24	(extract\$5 with class with property) same (librar\$4 or dictionar \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:13
S12	2623	11and ((link or point \$5) with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:13
S13	15	S11 and ((link or point \$5) with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:13
S14	1	S13 and ((add or adding) with (data or information) with (library or dictionary))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:20
S15	1	S13 and ((add or adding) with (data or information) with (library or dictionary or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:20
S16	31	(extract\$5 with class with property) same (librar\$4 or dictionar\$4 or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:21

S17	18	S16 and ((link or point \$5) with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:21
S18	3	S17 and ((add or adding) with (data or information) with (library or dictionary or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/03 15:21
S19	2	"6629094".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:48
S20	4812	extract\$4 near5 class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:49
S21	196	S20 and (class near5 inherit\$5 near5 class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:50
S22	109	S21 and (class\$3 near5 (id or identifier or number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:50
S23	11	S22 and (pointer near5 (id or identifier or number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:50

9/14/2009 4:47:40 AM

C:\Documents and Settings\rmahmood\My Documents\ EAST\ Workspaces\ 10580271.wsp